



SAFETY DATA SHEET

Version 3.0 Revision Date 09/04/2017

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Nickel(II) oxide

Brand : SAM

CAS-No. : 1313-99-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Stanford Advanced

Materials

23661 Birtcher Dr. Lake Forest, CA 92630

USA

Telephone : +1 (949) 407-8904 Fax : +1 (949) 812-6690

1.4 Emergency telephone number

Emergency Phone # : +1 (949) 407-8904

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin sensitisation (Category 1), H317 Carcinogenicity (Category 1A), H350

Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Lungs, H372

Chronic aquatic toxicity (Category 4), H413

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H317 May cause an allergic skin reaction.

H350 May cause cancer.

H372 Causes damage to organs (Lungs) through prolonged or repeated

exposure if inhaled.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P281 Use personal protective equipment as required.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula : NiO

 Molecular weight
 : 74.69 g/mol

 CAS-No.
 : 1313-99-1

 EC-No.
 : 215-215-7

 Index-No.
 : 028-003-00-2

Hazardous components

Compon	ent				Concentration		
Nickel n	nonoxide			,			
					Skin Sens. 1; Carc. 1A; STOT	<= 100 %	
					RE 1; Aquatic Chronic 4;		
				: 11	 H317, H350, H372, H413		

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Handle and store under inert gas. Keep in a dry place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis					
			parameters						
Nickel monoxide	1313-99-1	TWA	1.000000	USA. Occupational Exposure Limits					
		. :	mg/m3	(OSHA) - Table Z-1 Limits for Air					
				Contaminants					
		TWA	0.015000	USA. NIOSH Recommended					
			mg/m3	Exposure Limits					
	Remarks	Potential Occupational Carcinogen							
1	,	See Appe	ndix A	,					
		TWA	0.200000	USA. ACGIH Threshold Limit Values					
			mg/m3	(TLV)					
		Lung cancer							
		Confirmed	l human carcinoge	en					
		varies							

		:		TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
. ' '			. ' '	TWA,	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
				Lung cancer Confirmed h varies	uman carcinogen	
	,		,	TWA	0.015 mg/m3	USA. NIOSH Recommended Exposure Limits
		: '		Potential Oc See Append	cupational Carcin ix A	ogen
	,:			PEL	0.1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Form: powder Colour: dark grey

b) Odour No data available

Odour Threshold No data available

рΗ d) No data available

Melting point/freezing e) point

> Initial boiling point and No data available

f) boiling range

g)

Flash point Not applicable

h) **Evaporation rate** No data available

Flammability (solid, gas) No data available

Upper/lower j) flammability or explosive limits No data available

No data available

Vapour pressure k)

No data available

Vapour density

No data available

m) Relative density

6.67 g/cm3 at 25 °C (77 °F)

Water solubility n)

0.00003 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - practically

insoluble

Partition coefficient: n-

octanol/water

No data available

Auto-ignition p) temperature > 400 °C (> 752 °F)

Decomposition temperature

No data available

r) Viscosity No data available

Explosive properties

No data available

No data available Oxidizing properties

9.2 Other safety information

No data available

10. STABILITY AND REACTIVIT

Reactivity 10.1

No data available

10.2 **Chemical stability**

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong acids

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Nickel/nickel oxides Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - > 11,000 mg/kg

(OECD Test Guideline 425)

Inhalation: No data available

Dermal: No data available

LD50 Subcutaneous - Mouse - 50 mg/kg

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Carcinogenicity - Rat - male and female - Inhalation Lungs, Thorax, or Respiration:Bronchiogenic carcinoma.

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Human carcinogen.

IARC: 1 - Group 1: Carcinogenic to humans (Nickel monoxide)

IARC: 1 - Group 1: Carcinogenic to humans (Nickel monoxide)

NTP: Known to be human carcinogen (Nickel monoxide) NTP:

Known to be human carcinogen (Nickel monoxide)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: QR8400000

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Bioaccumulation

Fucus vesiculosus - 21 d

- 0.00001 mg/l

Bioconcentration factor (BCF): 675

(Tested according to Annex V of Directive 67/548/EEC.)

Remarks: The product may be accumulated in organisms.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No.

Revision Date

Nickel monoxide

1313-99-1

1993-04-24

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts	Right To	Know	Components

Nickel monoxide		.:		. ' '	CAS-No. 1313-99-1		Revision Date 1993-04-24
Pennsylvania Right To Kn	ow Compoi	nents					
	•				CAS-No.		Revision Date
Nickel monoxide					1313-99-1		1993-04-24
New Jersey Right To Kno	1	nts					
					CAS-No.		Revision Date
Nickel monoxide			, '		1313-99-1		1993-04-24
California Prop. 65 Compo	onents		'			'	,
WARNING! This product co		mical kno	wn to the	Э	CAS-No.		Revision Date
State of California to cause Nickel monoxide	caņcer.	.:		. * *	1313-99-1		2007-09-28
WARNING! This product co State of California to cause		mical kno	wn to the	•	CAS-No. 1313-99-1	٠	Revision Date 2007-09-28
WARNING! This product co		mical kno	wn to the	e , ' '		1	

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Aquatic Chronic Carc.	Chronic aquatic toxicity Carcinogenicity
H317	May cause an allergic skin reaction.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.
H413	May cause long lasting harmful effects to aquatic life.
Skin Sens.	Skin sensitisation
STOT RE	Specific target organ toxicity - repeated exposure
HMIS Rating	

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	0
Physical Hazard	0
NFPA Rating	
Health hazard:	2
Fire Hazard:	0 , ,
Reactivity Hazard:	0 '

Further information

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.

.:	٠	.**	.:	1		.;		.**	.:	1	.**	.:	1	. ' '
				٠		: ' '						:	٠	
	1	.**		·		.1		.**		1		.1	·	
	٠		;**	٠		: ' '						: ' '		
											: '			
. '		.**	, '		.''	.'		.''	. '	.,		. '		
	٠	.**	: ' '	٠		: ' '				1	.**	: ' '	٠	
											.**			
	:"			:'			;			: '	: '		:	: '
											.**			
											."			
											: '			
.:	1	.**	.:	٠		.:		.**	.:	1	.**	.:	٠	.**
										·	,er		Page 9 of	9
	11		,			,			,			,		,''